

Mitutoyo Digimatic Mini-Processor (Printer) DP-1VA

Enables to print the display values.

Easy to carry around due to its compact design.



DP-1VA

Mitutoyo	
* DP-1VA *	
* MODE 1 *	
DATE	2020/ 2/09
TIME	3:23
LIMIT DATA	2
LSL	0.0
USL	24.3
TOL	24.3
1	14.2
2	17.9
3	23.7
4	18.8






DP-1VA Printing Image

Specifications	
Model	DP-1VA
Printing speed	0.8s per line (6.5mm/s)
Printable item	Display value
Dimensions	See [Dimension]
Weight	390g
Connecting cables	See [Connecting cables list]
Connectable gauges*1	ZTA/ZTS/eZT/HTGS/HTGA/DTXS/DTXA series

Connecting cables list			
Connectable gauges *1	ZTS/A series, eZT, DTXS/A series, HTGS/A series	(old model) Z2 series, DTX2 series, HTG2 series	(old model) DS2 series
	Connecting cables	CB-308	CB-304
			CB-301

* The display value may not be printed correctly due to the setting of connected force gauge.


*1 Usable for the gauges limited with their firmware older than Ver.5.

Related Products		
<p>Digital force gauge ZTS/ZTA series *1</p>	<p>Screw cap torque tester DTXS/DTXA series *1</p>	<p>Sensor Interchangeable Amplifier eZT *1</p>
<p>Digital force gauge with high precision, featuring high sampling rate and a variety of useful functions.</p>	<p>Screw cap torque tester is ideal for measurements of bottle opening, key locking, lip stick twisting, etc.</p>	<p>Indicator for eZ-Connect series load cells and no need of adjustment when change load cell.</p>
		
<p>Handheld digital torque gauge HTGS/HTGA series *1</p>	<p>Optional cable CB-308*1</p>	
<p>Ideal for measurement of tightening and loosening force of screws and bolts, and the torque of rotary switches.</p>	<p>Cable use to connect the gauges to Mitutoyo Digimatic Mini-Processor.</p>	
		

* Refer to specifications of the individual product for details.

*1 Usable for the gauges limited with their firmware older than Ver.5.

[Dimension]



Unit: mm

[Cautions]

- Information in this document is subject to change without prior notice.
- This document is product descriptions and handling precautions, and do not guarantee various characteristics or safety.
- This product is designed for force measurement purpose only.
- Do not copy and use this content without authorization.

IMADA CO., LTD.

99, Jinnoshinden-Cho, Aza, Kanowari, Toyohashi,
Aichi 441-8077, JAPAN
Tel: +81-(0)532-33-3288
Fax: +81-(0)532-33-3866
E-mail: info@forcegauge.net
Website: <http://www.forcegauge.net/en/>



Visit our website for more information on a wide range of product specifications, measurement applications and videos.