




Accessories applied for Safe Test



It is vital for a company to create a safe working environment for the employees. There is risk potential for some force tests, therefore, it is necessary to improve safety in terms of operation training and safety accessories.


We offer a wide range of safety solutions from simple panel shield to shield equipped with electrical interlock function.



Applications
<ol style="list-style-type: none"> 1. Prevents sample debris from the front of testing part 2. Prevents sample debris from every direction of testing part 3. Electrical interlock: the test stand stops moving while the door is open


Product configuration for Application 1	
Test stand MX/MX2/EMX/HV series	Safety Shield ST-SS
	

Application 1 - Prevents sample debris from the front of testing part	
	<p>Applied Case -Danger of sample debris is expected such as glass destructive test</p> <p>Safety Improvement -Protects operator against the dangers of sample debris from the front of testing part</p> <p>Features -Easy-to-use -Moveable panel allows easy position adjustment</p>

Product configuration for Application 2	
Test stand MX2/EMX series	Interlocking Shield Option OP-MX2EMX-IC/OP-MX250-IC
	

Application 2 - Prevents sample debris from every direction of testing part	
	<p>Applied Case</p> <ul style="list-style-type: none"> -Danger of sample debris is expected such as glass destructive test -Prevents finger/clothes being caught by accident <p>Safety Improvement</p> <ul style="list-style-type: none"> -Protects operator against the dangers of sample debris from every direction of testing part -Avoid contact to the testing part <p>Features</p> <ul style="list-style-type: none"> -Prevents sample debris from every direction of testing part

Product configuration for Application 3	
<p>Test stand MX2 (-CN option)/EMX series</p>	<p>Interlocking Shield Option OP-MX2EMX-IC/OP-MX250-IC</p>
	

Application 3 - Electrical interlock	
	<p>Applied Case</p> <ul style="list-style-type: none"> -Danger of sample debris is expected such as glass destructive test -Avoids getting caught in the machine -Improve safety even by untrained operator <p>Safety Improvement</p> <ul style="list-style-type: none"> -Protects operator against the dangers of sample debris from every direction of testing part -Avoid contact to the testing part -Ensures testing performs only when the door is closed <p>Features</p> <ul style="list-style-type: none"> -Prevents sample debris from every direction of testing part -Electrical interlock (*)

*The safety input of test stand is required to set [ON].

[Cautions]

- Information in this document is subject to change without prior notice.
- This document is product descriptions and handling precautions, and do not guarantee various characteristics or safety.
- Please refer to the specification of each products details for more information
- This product is designed for force measurement purpose only.
- Do not copy and use this content without authorization.

IMADA CO., LTD.

99, Jinnoshinden-Cho, Aza, Kanowari, Toyohashi,
Aichi 441-8077, JAPAN
Tel: +81-(0)532-33-3288
Fax: +81-(0)532-33-3866
E-mail: info@forcegauge.net
Website: <http://www.forcegauge.net/en/>



Visit our website for more information on a wide range of product specifications, measurement applications and videos.